Name:

## MATH221

quiz #1, 09/20/07 Sections 1.1–1.5 Total 100 Solutions

Show all work legibly.

1. (20) Solve the system:

Solution:

$$\begin{bmatrix} 1 & -2 & 1 & 0 \\ 0 & 2 & -8 & 8 \\ -4 & 5 & 9 & -9 \end{bmatrix} \rightarrow \begin{bmatrix} 1 & -2 & 1 & 0 \\ 0 & 1 & -4 & 4 \\ -4 & 5 & 9 & -9 \end{bmatrix} \rightarrow \begin{bmatrix} 1 & -2 & 1 & 0 \\ 0 & 1 & -4 & 4 \\ 0 & -3 & 13 & -9 \end{bmatrix} \rightarrow \begin{bmatrix} 1 & -2 & 0 & -3 \\ 0 & 1 & -4 & 4 \\ 0 & 0 & 1 & 3 \end{bmatrix} \rightarrow \begin{bmatrix} 1 & 0 & 0 & 29 \\ 0 & 1 & 0 & 16 \\ 0 & 0 & 1 & 3 \end{bmatrix}$$

$$x_1 = 29, \ x_2 = 16, \ x_3 = 3.$$

2. (20) Write a system of equations that is equivalent to the vector equation

$$x_1 \begin{bmatrix} 6 \\ -1 \\ 5 \end{bmatrix} + x_2 \begin{bmatrix} -3 \\ 4 \\ 0 \end{bmatrix} = \begin{bmatrix} 0 \\ -7 \\ -5 \end{bmatrix}.$$

Solution:

$$6x_1 - 3x_2 = 0 
-x_1 + 4x_2 = -7 
5x_1 = -5$$

3. (20) Determine the values of h for which the system

$$2x_1 - 6x_2 = -3$$
,  $-4x_1 + 12x_2 = 1 - h$ 

is consistent.

Solution:

$$\left[ \begin{array}{ccc} 2 & -6 & -3 \\ -4 & 12 & 1-h \end{array} \right] \to \left[ \begin{array}{ccc} 2 & -6 & -3 \\ 0 & 0 & -5-h \end{array} \right].$$

Answer: The system is consistent when h = -5.

4. (20) Let

$$A = \begin{bmatrix} 2 & 0 & 6 \\ -1 & 8 & 5 \\ 1 & -2 & 1 \end{bmatrix}, \ \mathbf{b} = \begin{bmatrix} 10 \\ 3 \\ 0 \end{bmatrix}.$$

True or False? **b** is in the set of all linear combinations of the columns of A.

Solution:

$$\begin{bmatrix} 2 & 0 & 6 & 10 \\ -1 & 8 & 5 & 3 \\ 1 & -2 & 1 & 0 \end{bmatrix} \rightarrow \begin{bmatrix} 1 & 0 & 3 & 5 \\ -1 & 8 & 5 & 3 \\ 1 & -2 & 1 & 0 \end{bmatrix} \rightarrow \begin{bmatrix} 1 & 0 & 3 & 5 \\ 0 & 8 & 8 & 8 \\ 0 & -2 & -2 & -5 \end{bmatrix} \rightarrow \begin{bmatrix} 1 & 0 & 3 & 5 \\ 0 & 1 & 1 & 1 \\ 0 & -2 & -2 & -5 \end{bmatrix} \rightarrow \begin{bmatrix} 1 & 0 & 3 & 5 \\ 0 & 1 & 1 & 1 \\ 0 & 0 & 0 & -3 \end{bmatrix}.$$

**b** is NOT in the set of linear combinations of the columns of A.

Answer: False

5. (20) True or False? If A is  $5 \times 3$  matrix,  $\mathbf{y} \in \mathbf{R}^3$ , and  $\mathbf{b} \in \mathbf{R}^5$  such that  $A\mathbf{y} = \mathbf{b}$ , then the equation  $A\mathbf{x} = 2\mathbf{b}$  is consistent.

Solution: If  $\mathbf{x} = 2\mathbf{y}$ , then  $A\mathbf{x} = A(2\mathbf{y}) = 2A\mathbf{y} = 2\mathbf{b}$ , hence the system  $A\mathbf{x} = 2\mathbf{b}$  is consistent.

Answer: True

6. (20) (**extra credit**) True or False? If A is a  $3 \times 2$  matrix such that  $A\mathbf{x} = 0$  has a unique solution, then for each **b** the system  $A\mathbf{x} = \mathbf{b}$  has a unique solution.

If 
$$A = \begin{bmatrix} 1 & 0 \\ 0 & 1 \\ 1 & 1 \end{bmatrix}$$
, then the system  $A\mathbf{x} = \mathbf{b}$  with  $\mathbf{b} = \begin{bmatrix} 1 \\ 1 \\ 1 \end{bmatrix}$  has no solutions.

Answer: False